

Made-To-Measure Form Uniform Pants

| | |
|----------------------|-------------|
| Customer Name: _____ | Date: _____ |
|----------------------|-------------|

Shipping Address: _____

| | |
|------------------------------|--------------|
| Day Time Phone Number: _____ | Email: _____ |
|------------------------------|--------------|

| | |
|----------------------------|----------------------------|
| <i>For Office Use Only</i> | <i>For Office Use Only</i> |
| Order Number: _____ | PO Number: _____ |

For more accurate measurements, lay your garment FLAT on a HARD surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled.
Note: For optimum results, consult a professional tailor to take these garment measurements.

Pant Fabric/Style: Comments: _____
 Micropoly _____
 Canvas _____

MINOR CHANGES ONLY

Fill out this section if you're able to find an existing in-stock pants size that basically fits and **only requires alterations to inseam length**. Simply follow these easy steps for requesting pants modifications:
 1) Try on pants at a Scout Shop; record BSA SKU# below of style that fits best.
 2) Measure current inseam length of pants you try on and record below.
 3) Indicate the new requested hemmed inseam below.
 4) Subtract the difference between the current stock measurement (even if it is an unhemmed measurement) and the new requested hemmed measurement.

BSA Stock SKU: _____ Description: _____

G. Inseam Length
 (From top of inseam to bottom of the pant)
 Current BSA Stock Item: _____ inches Customer Requested: _____ inches
 Difference (+-): _____ inches

MAJOR CHANGES ONLY

Please use casual trousers (not jeans!) from woven fabric that fit you well to take these garment measurements. We will make the new garment to the measurements that you indicate below. For best results, lay your garment flat on a hard surface and use a soft measuring tape. Smooth the garment with your hands, but do not stretch the fabric. Ironing is recommended for garments that are highly wrinkled. We highly recommend asking a professional tailor to take these measurements.

Customer's Personal Measurement: **Height:** _____ **Weight:** _____
Customer's Typical Trouser Size: **Waist:** _____ **Inseam:** _____

All measurements should be based on actual garments. Not body measurements.

| | | |
|---|---|--|
| <p>A. Waist: _____ x 2: _____ *This measurement will not correspond to the size on the label. Please take this measurement from the garment as directed below. From side to side and double this measurement. Do not stretch elastic if any is present.</p> | <p>C. Front Rise - Below Waistband: _____ Starting at the bottom of the waistband, measure along the front zipper and seam to the intersection of the inseam.</p> | <p>F. Thigh - 1" Below Crotch: _____ x 2: _____ Across the leg, parallel to the leg opening, 1" below crotch. Double this measurement.</p> |
| <p>B. Hip - 8" Down: _____ x 2: _____ From side to side 8" below waistband. Double this measurement.</p> | <p>D. Back Rise - Below Waistband: _____ Starting at the bottom of the waistband, measure along the back seam to the intersection of the inseam.</p> | <p>G. Bottom Leg Opening: _____ x 2: _____ From side to side at the bottom. Double this measurement.</p> |
| <p>E. Inseam: _____ <input type="checkbox"/> Hemmed <input type="checkbox"/> Un-Hemmed - From the crotch to pant edge. (Add 2" to actual inseam measurement to account for hemming)</p> | | |

